



Windows Server® 2008 Hyper-V™ Resource Kit

*Robert Larson and Janique
Carbone with the Windows
Virtualization Team at
Microsoft*

To learn more about this book, visit Microsoft Learning at
<http://www.microsoft.com/MSPress/books/11842.aspx>

9780735625174

Microsoft
Press

Index

A

- access control, Authorization Manager for, 33
 - activation, of Hyper-V host, 138
 - active differencing virtual hard disks (VHDs), 176
 - Active Directory
 - Authorization Store in, 241–243, 272–273
 - central management of, 265
 - forests of, 656–657
 - Active Directory Application Mode (ADAM), 242
 - Active Directory domain controllers
 - backup and recovery of, 489–490
 - online physical to virtual migration and, 520–526
 - Active Directory Domain Services (AD DS), 32, 240
 - Active Directory Group Policy, 343, 497
 - Active Directory Lightweight Directory Services, 32
 - Active Directory Service Marker (ADSM), 77–78
 - Active Directory Services Interface (ADSI), 667, 670
 - Active Directory Sites and Services
 - Microsoft Management Console, 657
 - Active Directory Topology Diagrammer (ADTD), 670–671
 - Active Directory Users and Computers (ADUC), 383
 - ActiveX Data Objects (ADO), 670
 - Additions, Virtual Machine, 321, 492
 - Address Space Identifier (ASID), 5
 - address space translation, 341
 - address spoofing, MAC, 344–345, 365
 - Add-VMDisk command-line parameters, 583–584, 587
 - Add-VMDrive command-line parameters, 582
 - Add-VMNewHardDisk command-line parameters, 587–588
 - Add-VMNics command-line parameters, 583–584
 - Administration workspace, in SCOM 2007, 540, 543
 - Administrative Console, of SCVMM, 446, 452–453, 472
 - Advanced Configuration and Power Interface (ACPI), 317, 325, 342–343
 - advanced programmable interrupt controllers (APICs), 70
 - agents
 - backup methods based on, 489
 - in online physical to virtual migration, 519
 - management packs and, 373
 - of System Center Data Protection Manager 2007 SP1, 497–502
 - of System Center Operations Manager 2007, 552–556
 - of Virtual Machine Manager, 364, 456
 - aggregation, in data center virtualization, 599
 - Alinean Value Base of IT metrics, 651
 - Alinean, Inc., 649
 - AMD NX (no execute) bit, 31, 332
 - AMD-V
 - architecture of, 5
 - Hyper-V supported by, 31
 - installation with, 106
 - I-O virtualization technology of, 8
 - rapid virtualization indexing of, 6
 - antivirus software, 278–279
 - Application Programming Interface (API)
 - Citrix hypercall, 13
 - Hyper-V hypercall, 13, 71
 - input-output control (IOCTL), 83
 - Windows Management Instrumentation (WMI), 44, 67
 - application stack, privileges of, 13
 - application virtualization, 619, 625–626
 - application-level virtualization, 3, 15–17
 - Apply-VMSnapshot command-line parameters, 592
 - architecture, 69–102
 - AMD-V, 5
 - in server virtualization design, 641, 643–644
 - Integration Services in, 94–96
 - Intel VT, 9
 - Non-Uniform Memory Access (NUMA) in, 277
 - of server virtualization pilot, 723–724
 - of Windows hypervisor, 70–71
 - partitions in, 72
 - virtual floppy disks in, 101–102
 - virtual hard disks in, 96–101
 - dynamic disk header for, 100–101
 - footer for, 98–99
 - pass-through, 97
 - virtual memory in, 89–90
 - virtual networking in, 92–94
 - virtual processors in, 92
 - virtualization stack in, 73–88
 - action of, 88
 - configuration component of, 79
 - Virtual Machine Management Service in, 74–79
 - Virtualization Infrastructure Driver in, 81–83
 - Virtualization Service Clients in, 80
 - Virtualization Service Providers in, 79
 - VMBus in, 80–81
 - Windows Management Instrumentation in, 83–85
 - worker process in, 85–87
- ARP cache, 288
- ASSOCIATORS OF query, 574
- attack surface, reducing, 28, 236, 260
- Audit Collection Services (ACS), in SCOM 2007, 262–263
- authentication, 674
- Authoring workspace, in SCOM 2007, 540, 542
- Authorization Manager (AZMAN)
 - default, 227
 - for security, 240–241
 - in Hyper-V, 33
 - privileges for, 261
 - remote management and, 383
 - role-based security from, 359

- scope for, 256–259
- Windows Server Backup and, 428
- Authorization Store, in Active Directory, 241–243, 272–273
- automatic differencing virtual hard disks (VHDs), 154, 162–163, 173, 175
- availability
 - Cluster Shared Volumes and, 340
 - desktop virtualization and, 17, 620
 - Failover Clustering for, 34, 202, 360
 - hardware for, 706–707
 - in branch office virtualization, 606
 - in data center virtualization, 600
 - isolation for, 8
 - of virtual hardware component, 547
 - of virtual machines, 216–218, 351–352
 - physical to virtual (P2V) migration and, 526–527
 - virtualization benefits for, 21

B

- Background Intelligent Transfer Service (BITS), 603
- back-office-class servers, 705
- backup and recovery, 483–516. *See also* disaster recovery
 - desktop virtualization and, 17
 - hardware abstraction layer (HAL) and, 613
 - in branch office virtualization, 607
 - in data center virtualization, 601–602
 - of Active Directory domain controller virtual machines, 489–490
 - of Authorization Store, 241, 272–273
 - of Hyper-V and virtual machines, 490–491
 - of network adapters for iSCSI communications, 283
 - of registry values, 200
 - of server virtualization infrastructure, 717–718
 - of virtual desktops, 621, 628, 632
 - of virtualization environment, 483–484
 - physical network adapters and, 283
 - System Center Data Protection Manager (SCDPM) 2007 SP1 for, 492–515, 612
 - agent deployment for, 497–502
 - installation of, 495–496
 - Integration Services update and, 493–495
 - local data protection in, 497
 - overview of, 492–493
 - protection group for, 504–510
 - storage pool for, 502–504
 - virtual machine recovery by, 511–515

- time synchronization in, 180
- traditional methods of, 488–489
- virtualization benefits for, 22
- Volume Shadow Copy Service (VSS)
 - for, 34
 - VSS Requestor for, 78–79
 - VSS writer for, 484–488
 - components of, 486–487
 - metadata document of, 488
 - overview of, 484–485
 - process of, 487
 - tools of, 485
- Windows Server Backup for, 424–437
 - configuring, 425–428
 - considerations in, 428
 - for virtual machine backup, 433–437
 - for virtual machine restoring, 428–433
 - in disaster recovery, 366–368
 - installing, 424–425
- bandwidth, NUMA and, 277
- bare metal virtualization, 13
- benchmarking, intelligence, 650
- best practices. *See also* performance, optimizing
 - antivirus software, 279
 - backup and recovery, 497
 - default storage locations, 270
 - Disk Management Microsoft Management Console, 163
 - folder locations, 236
 - groups for roles, 248
 - Hyper-V resource permissions, 248
 - Hyper-V roles, 391
 - Integration Services, 291, 301
 - Internal versus External virtual networks, 272
 - large send offload (LSO), 302
 - legacy network adapters, 292, 302
 - maintenance mode, 541
 - memory, 275–276, 298
 - network adapters for cluster communications, 283
 - NUMA system, 278
 - on parent-child differencing disk relationship, 155
 - operating system selection, 290
 - physical network adapters dedicated to Hyper-V, 283
 - Processor Resource Control, 295
 - processors, 291
 - Quick Migration, 417
 - RAID 1, 282
 - reporting, 563
 - ROI tools, 650
 - SATA and SAS drives, 280
 - screen savers, 292
 - SCSI controller, 307
 - security, 260–263

- Server Core installation, 236, 278
- servers with high density modules, 276
- storage area networks, 282
- TCP Chimney Offload, 285
- teamed network adapters, 289
- unused emulated devices, 292
- virtual hard disks, 166, 279, 306–307, 309
- virtual machines, 304–305, 308, 423
- virtual networks, 272, 460
- VMConnect, 274
- workload profiles, 293, 296
- BETest application, 485
- binary file, virtual machine snapshots and, 173, 176
- binary translation, 11
- bindings, network, 45
- BIOS (Basic Input-Output System), 31, 403, 658–659
- BITS (Background Intelligent Transfer Services), 454
- blackout period, in Quick Migration, 37
- blade servers, 597
- block allocation table (BAT), 97, 101
- boot process, in hypervisor, 71, 88
- bottlenecks, network, 304
- branch offices
 - pilot projects in, 722
 - serial port devices in, 661
 - virtual desktop infrastructure for, 629
 - virtualization candidates in, 705
 - virtualization scenario for, 24, 606–608
- budget setting, for server virtualization, 643, 654
- buffer overflow exploits, 31
- bug reproduction, 20, 24
- business case for virtualization, 19–23
- business continuity, 21, 25. *See also* disaster recovery

C

- cab file, in installation, 123
- cache
 - ARP, 288
 - performance and, 275, 277
 - Translation-Lookaside Buffer (TLB) as, 5, 7–8
- call centers, virtual desktops and, 17, 629
- candidate pool exclusion list, in virtualization, 658
- capacity planning, 438
- capital and operating cost savings, 19–20, 698–699
- CD-DVD drives, virtual, 291–292
- centralization, desktop virtualization and, 17

chain of differencing disks, 155
 change control process, 663
 chargebacks, in server virtualization, 652
 checkpoints, in virtual machines (VMs), 474, 476
 child partitions. *See also* parent partitions
 applications run in, 261
 description of, 72
 guest physical addresses (GPAs) in, 90
 in Hyper-V, 28–29, 79
 in load balancing and failover (LBFO), 287–289
 in Private virtual networks, 194
 integration components virtual device and, 87
 Integration Services for, 94–96
 memory for, 83, 278, 296
 monitoring, 370
 performance of, 290
 saving state of, 82
 storage for, 278
 Virtual Machine Management Service (VMMS) and, 237
 virtual network adapters for, 94
 virtual switch interfaces of, 93
 Virtualization Service Clients in, 80
 VLANs for, 197
 Choose-VMExternalEthernet function, 589
 Choose-VMSnapshot function, 592–593
 Citrix XenDesktop, 630–631
 Citrix, Inc., 13
 client-side applications, virtualization of, 15
 cloning virtual machines (VMs), 475–476
 Cluster Configuration Wizard, 214, 222, 349
 Cluster Shared Volumes (CSV), 37, 340–341, 350–351, 365
 clustering
 cluster resource control for, 79
 failover, 34, 202–223
 adding, 214
 configuring, 214–215
 Failover Cluster Manager for, 216, 360–361
 for high availability, 202, 340
 for Hyper-V servers, 348–349
 for virtual machines, 215–223
 Hyper-V R2 version support of, 338
 in Windows Server 2008, 202–203
 overview of, 203–207
 Quick Migration with, 417
 TCP Chimney Offload and, 285
 virtual desktop infrastructure and, 629
 witness and data storage volumes for, 207–214
 in data center virtualization, 599–600

in server farm management, 479–481
 network adapters for, 283
 network configuration for, 352
 Quick Migration and, 34
 two-node Hyper-V server, 347–349
 virtual machines over host servers, 21, 25
 Virtual Server host, 28
 collision rate characteristics, of networks, 709
 COM ports, virtual, 411–412
 command-line tools, 32, 150. *See also* PowerShell
 communications plan, for server virtualization, 643, 729–731
 compacting virtual hard disks (VHDs), 154, 165–169, 237
 compatibility, 20, 318, 457, 528
 Compellent Technologies Storage Center system, 206–213, 601
 Computername property, 570
 Configuration Analyzer, in SCVMM, 449–450
 configurations, virtual machine, 57–60
 connection broker, in virtual desktop infrastructure, 627
 Connectix software virtualization technology, 28
 consolidation
 envisioning, 652
 planning, 707–715
 PlateSpin PowerRecon feature for, 677–678
 ratio for, 20, 295, 703–704
 context switch, 5, 7, 9, 296
 contiguous block allocation, 164
 contract labor, 612
 control registers, 82
 cooling cost savings, in virtualization, 701
 Core Parking, 38, 342–343
 cost reductions, capital and operating, 19–20, 698–701
 counters, in Performance Monitor, 372–373
 CPUID interrupts, 82
 credential tracking, 656
 Customer Experience Improvement Program (CEIP), 453

D

DAACLs (discretionary access control lists), 239, 264
 data center virtualization scenario, 597–606
 availability issues in, 600
 backup issues in, 601–602

delegation administration in, 604
 deployment issues in, 603
 library in, 603–604
 network issues in, 598–599
 operational issues in, 605–606
 overview of, 23
 self-service Web portal in, 604–605
 storage issues in, 600–601
 Data Execution Prevention (DEP), 31, 106, 332
 Data Instant Replay, in Compellent Technologies Storage Center, 209–213
 Data Offset field, in hard disk footer, 100
 data preprocessing, in server virtualization, 711–712
 DCOM (Distributed Component Object Model), 383, 387
 debug registers, 82
 decommissioning virtual desktops, 620
 default gateway, of network adapter, 142
 defragmentation of virtual hard disks (VHDs), 165–167
 delegation model, of SCVMM, 457
 Delete Saved Credentials, in Hyper-V settings, 66
 delta replication, by SCDPM, 607
 dependencies, temporal transactional, 423
 deployment
 in data center virtualization, 603
 in desktop virtualization, 17
 in server virtualization, 725
 in test and development virtualization, 24
 Pre-boot Execution Environment (PXE) and, 46
 Deployment Workbench, 107
 Deployment Workbench Operating System Packages node, 123
 descriptor tables, 82
 desktop infrastructure, virtual, 457, 617–633
 application virtualization components of, 625–626
 backing up and restoring, 621
 Citrix XenDesktop and, 630–631
 client components of, 625
 client service support for, 622
 core virtualization components of, 624–625
 dynamic application delivery for, 619
 hardware-independent, 618
 isolated and secure, 618
 management components of, 627–628
 Microsoft Application Virtualization and, 631
 migration of, 620–621
 provisioning and decommissioning, 620
 resource allocation for, 619–620
 scenarios for, 628–629
 software virtualization and, 3, 17–18

Device Manager

- static versus dynamic, 623–624
- storage in, 621
- System Center Data Protection Manager and, 632
- System Center Virtual Machine Manager and, 632
- Windows Server 2008 Hyper-V and, 629
- Windows Server 2008 Terminal Services RemoteApp and, 632
- Windows Vista Enterprise Centralized Desktop and, 630
- Device Manager, 94
- DHCP (Dynamic Host Configuration Protocol), 32, 265
- differentiating virtual hard disks (VHDs), 44, 97, 154–161
 - active, 176
 - automatic, 154, 162–163, 173, 175
 - creating, 156
 - description of, 154, 305
 - merging, 160–161, 237
 - migration and, 317, 323–324
 - parent versus child, 156–159
 - performance of, 305
 - reconnecting, 159–160
 - using, 161
- differential disks, migration merging of, 323–324
- direct attached storage (DAS), 369, 502
- direct memory address (DMA), 80
- disaster recovery. *See also* backup and recovery
 - management solutions for, 366–370
 - overview of, 21, 25
 - strategy for, 642, 646
 - test and development environments for, 613
- Discovery Wizard, 552
- disjoint domains, 366
- diskette drives, virtual, 412–413. *See also* floppy disks, virtual
- disks. *See also* virtual hard disks (VHDs)
 - Disk Management Microsoft Management Console for, 163
 - hardware limits for, 684–685
 - performance of, 280–282, 688–689
- DiskShadow application, 485
- DMA transfers, 8
- DNS (Domain Name System), 32, 142, 265, 675
- domain controllers, 612
 - backup and recovery of, 489–490
 - migration and, 364
 - online physical to virtual migration and, 520–526
 - virtual machines as, 423, 489–490
- Domain Local Group, 248
- domains
 - disjoint, 366
 - in Hyper-V host, 137
 - Microsoft Hyper-V configuration tool for, 140–141
- double rotated redundancy, in RAID, 282
- downtime, 205, 219, 313. *See also* migration
- drift, time, 180
- drive letter restrictions, 217–218
- drivers
 - files of, 234
 - information files of virtual, 228–230
 - localization files of, 234–235
- DVD drives, virtual, 407–408
- dynamic application delivery, 619
- Dynamic Core Infrastructure Optimization, 651
- dynamic MAC (media access control) addresses, 46, 198
- dynamic tagging, for VLANs, 196
- dynamic tuning, 23
- dynamic virtual desktops, 17, 623–624
- dynamically expanding virtual hard disks (VHDs), 44, 97
 - as default, 401
 - description of, 305
 - fixed disk converted to, 164–165
 - header of, 100–101
 - in chain of differencing disks, 155–156
 - in default Hyper-V installation, 269
 - in libraries, 463
 - performance of, 305

E

- Edit Virtual Hard Disk Wizard, 160, 164–166, 169
- ElementName property, 574
- emulated network adapters, 93–94, 301–302
- emulation drivers, for virtualized device access, 29
- enlightenments, 14
- environmental savings, in virtualization, 699
- Ethernet frames, 38
- Ethernet network adapters, 94, 321
- event logs, Hyper-V server, 139
- Event Viewer, 227
- Exchange Server, 368
- expanding virtual hard disks (VHDs), 170
- Extended Page Tables (EPTs), 9, 37, 342
- External virtual networks
 - adapter settings for, 408
 - creating, 63–65
 - Hyper-V advanced features for, 186–189
 - New-VMExternalSwitch command-line parameters for, 589

- offload features limited in, 284
- performance of, 301
- renaming, 271–272
- SCVMM management of, 459
- traffic flow and, 184
- virtual switch in, 93

F

- Failover Clustering, 202–223
 - adding, 214
 - cluster resource control for, 79
 - Clustered Shared Volumes added to, 37
 - configuring, 214–215
 - Failover Cluster Manager for, 216, 360–361
 - for high availability, 202, 340
 - for Hyper-V servers, 348–349
 - for virtual machines
 - availability of, 216–218
 - creation on, 215–216
 - implementation of, 218–223
 - Hyper-V R2 version support of, 338
 - in data center virtualization, 599–600
 - in Hyper-V, 34
 - in Windows Server 2008, 202–203
 - Live Migration and, 339
 - overview of, 203–207
 - Quick Migration with, 417
 - TCP Chimney Offload and, 285
 - virtual desktop infrastructure and, 629
 - witness and data storage volumes for, 207–214
- fault tolerance, 282, 598, 606
- Fibre Channel shared storage, 203–204, 282, 601
- File and Print Sharing, allowing, 136
- file replication technologies, 25
- File Services role, 32
- firewalls
 - Hyper-V server configuration of, 138–139
 - installation and, 136
 - rules of, 237–239
 - Windows Firewall Remote Administration Exception for, 674
- fixed-size virtual hard disks (VHDs), 43, 97
 - description of, 305
 - dynamically expanding disk converted to, 164–165
 - in chain of differencing disks, 155–156
- floating point registers, 82
- floppy disks, virtual, 101–102, 412–413
- footer, of virtual hard disks (VHDs), 98–99
- Format-List function, in PowerShell, 569
- fragmentation, 305
- friendly names, for networks, 272
- full virtualization method, 11

fully qualified domain name (FQDM), 366, 456

G

Gantt charts, 727
 general purpose registers, 82
 GetText function, in PowerShell, 575
 gigabit Ethernet network adapters, 321, 689, 710
 GPADL (Guest Physical Address Descriptor List), 80
 group nesting model, 391
 guest memory address space, 5
 Guest Mode, in Virtual Machine Monitor (VMM), 5, 13
 guest operating systems
 address space translation for, 341
 failover cluster for, 34
 Hyper-V support of, 39–41
 installation of, 418–420
 Integration Services support of, 183–184
 privileges of, 69
 processor support of, 404
 profiles of, 470–471
 VHD compaction and, 166
 Virtual Server 2005 R2 for, 312
 guest page tables (gPT), 6–7
 Guest Physical Address Descriptor List (GPADL), 80
 guest physical addresses (GPAs), 86, 90
 guest placement, in virtualization, 697
 GUID (Globally Unique Identifier), 52
 for virtual machines, 308
 for virtual machines (VMs), 171, 173, 176
 friendly names versus, 272
 of child partition, 79
 of VSS Writer, 425–426

H

hardware
 for high availability, 706–707
 for System Center Virtual Machine Manager (SCVMM) installation, 444–448
 Hyper-V Manager and, 402
 in Hyper-V virtual machine environment, 41–46
 components of, 42–43
 iSCSI disks in, 45
 pass-through disks in, 44
 virtual hard disks in, 43–44
 virtual IDE interfaces in, 44
 virtual network adapters in, 46

virtual networks in, 45–46
 virtual SCSI interfaces in, 45
 inventory of, 658–661
 migration and, 312
 offloading, 302
 performance of, 279
 PlateSpin PowerRecon inventory
 feature for, 677
 profiles for, 469
 reducing dependency on, 25
 reuse of, 648, 715
 server virtualization limits of, 683–685
 standard emulated configuration for, 19
 virtual component availability monitoring of, 547
 virtual desktop independence from, 618
 virtual machine configuration for, 477–478
 virtual machine limits for, 682–683
 Windows hypervisor control of, 70
 hardware abstraction layer (HAL), 317, 325, 613
 hardware-assisted virtualization, 4, 31, 106
 Health Explorer monitoring tool, 438–439, 541, 561
 heartbeat function, 87, 181, 541
 help desks, virtual infrastructure for, 629
 Help files, 230
 Hewlett-Packard (HP) migration tool, 727
 High-Availability Wizard, 216
 homogeneous data center consolidation, 23
 host cluster, 600
 host intelligent placement algorithm, 532
 Host Mode, in Virtual Machine Monitor (VMM), 5
 host operating system, 39
 host utilization reports, 374
 Host-Bus Adapters (HBAs), 282, 601
 hosted virtualization solution, 12–13
 hosting, application, 626
 "hot add" technology, 619
 HTML Help files, 230
 Hvboot.sys, 71
 HVConfig.cmd tool, 33
 HVConfig.vbs file, 33
 HVRemote configuration script, 392–393
 Hypercall Adapter, in Suse Linux Enterprise Server, 29
 hypercall Application Programming Interface (API), 13–14
 hyperthreaded logical processors, 687
 Hyper-V, 4, 27–68. *See also* architecture; *also* management, overview of; *also* Microsoft Hyper-V configuration tool; *also* PowerShell; *also* security; *also* server farm management; *also* single server management; *also* Windows Server 2008 R2

AMD-V and Intel VT support in, 31
 as core virtualization component, 624
 Authorization Manager in, 33
 background of, 28–30
 benchmarking hosts of, 710
 description of, 13–14
 failover clustering in, 34
 features of, 30–31
 for virtual desktops, 629
 full and server core installation support in, 31–32
 guest operating system support of, 39–41
 hypercall Application Programming Interface (API) of, 13
 Hyper-V Manager for, 47–48, 85, 716
 import and export features of, 35
 installation role of, 111–116
 Integration Services in, 35
 load balancing in, 706
 Microsoft Hyper-V Server 2008 and, 32–33
 multiple servers in, 48–66
 setting management and, 66
 virtual hard disk management and, 61–63
 Virtual Machine Connection and, 65–66
 virtual machine management and, 49–60
 virtual network management and, 63–65
 performance of, 10–11
 Quick Migration in, 34–35
 server configurations for, 705–707
 server operating system support of, 39
 settings management for, 395–396
 snapshot feature of, 36
 updating, 454
 virtual hard disk management in, 35–36
 Virtual Machine Connection in, 36–37
 virtual machine hardware environment in, 41–46
 components of, 42–43
 iSCSI disks in, 45
 pass-through disks in, 44
 virtual hard disks (VHDs) in, 43–44
 virtual IDE interfaces in, 44
 virtual network adapters in, 46
 virtual networks in, 45–46
 virtual SCSI interfaces in, 45
 Volume Shadow Copy Service (VSS) in, 34
 Windows Server 2008 R2 management of, 353
 WMI API in, 67
 Hyper-V management tools, 378–383.
 See also management, overview of
 Hyper-V Manager, 602
 for virtual machine management
 automatic start in, 415–416

- automatic stop in, 416–417
 - BIOS settings in, 403
 - naming in, 413
 - parameters for, 398–399
 - removing VMs as, 417–418
 - settings in, 401–402
 - VM creation in, 399–401
 - Integration Services settings in, 413–414
 - memory settings in, 403–404
 - overview of, 358–359
 - processor settings in, 404
 - snapshot file location in, 414–415
 - views of, 393–395
 - virtual COM port settings in, 411–412
 - virtual diskette drive settings in, 412–413
 - virtual DVD drive settings in, 407–408
 - virtual hard disk settings in, 405–407
 - virtual hardware devices added in, 402
 - virtual network adapter settings in, 408–411
 - Hyper-V RTM
 - updating, 109–110
 - Windows Server 2008 integration with, 106–107
 - Hyper-V server. *See also* Hyper-V; *also* Microsoft Hyper-V server 2008
 - specification for, 314–315
 - WMI queries to, 569–570
 - Hyper-V Services, 237, 245
 - Hyper-V Virtual Drive Free Space, 547
 - Hyper-V, advanced features of, 153–223
 - for automatic differencing virtual hard disks, 162–163
 - for differencing virtual hard disks, 154–161
 - creating, 156
 - merging, 160–161
 - parent versus child, 156–159
 - reconnecting, 159–160
 - using, 161
 - for failover clustering, 202–223
 - adding, 214
 - configuring, 214–215
 - for high availability, 202
 - in Windows Server 2008, 202–203
 - overview of, 203–207
 - virtual machine availability and, 216–218
 - virtual machine created on, 215–216
 - virtual machine implementation of, 218–223
 - witness and data storage volumes for, 207–214
 - for networking, 184–200
 - MAC address pools in, 198–200
 - virtual LANs in, 194–198
 - virtual network traffic flow in, 184–194
 - for pass-through disks, 200–202
 - for virtual hard disks, 163–170
 - Integration Services as, 179–184
 - guest operating systems supported by, 183–184
 - heartbeat function in, 181
 - key value pair exchange function in, 181–183
 - shutdown function in, 181
 - Time Synchronization Service in, 180–181
 - Volume Shadow Copy Service in, 183
 - overview of, 153–154
 - virtual machine snapshots as, 170–179
 - apply snapshot option for, 176–178
 - creating, 172–176
 - delete snapshot option for, 179
 - overview of, 170–172
 - revert snapshot option for, 176
 - hypervisor. *See* Hyper-V; Windows hypervisor
- I**
- IBM Corp., 4
 - IDE (Integrated Drive Electronics), virtual interface of, 44
 - migration and, 660
 - pass-through disks and, 202
 - SCSI conversion to, 316, 319–321
 - worker process and, 86
 - Image Management Service (IMS), 84, 237, 546
 - ImageX.exe, 107–109
 - import and export, Hyper-V and, 35
 - in scope of server virtualization project, 646–647
 - independent software vendors (ISPs), 318
 - indexing, rapid virtualization, 6
 - information localization files, 235
 - InitialStore.xml file, 272–273
 - initiator (iSCSI client), 282
 - input-output control (IOCTL) API interface, 83
 - installation, 105–151
 - Hyper-V role in, 111–116
 - Hyper-V RTM integration into Windows Server 2008 in, 106–107
 - Hyper-V RTM update in, 109–110
 - ISO building in, 110–111
 - Microsoft Deployment Toolkit 2008 for, 123–131
 - Microsoft Hyper-V configuration tool for, 139–150
 - on computer names, 141–142
 - on date and time, 149
 - on domains or workgroups, 140–141
 - on exiting to command line, 150
 - on local administrator addition, 144
 - on logging off, 149
 - on network settings, 142–144
 - on regional and language options, 148
 - on Remote Desktop, 147–148
 - on restarting server, 150
 - on shutting down server, 150
 - on Windows Updates, 144–146
 - Microsoft Hyper-V server 2008 in, 116–120
 - of guest operating systems, 418–420
 - of Integration Services, 420–422
 - of Management Packs, in SCOM 2007, 549–556
 - of System Center Data Protection Manager 2007 SP1, 495–496
 - of System Center Virtual Machine Manager (SCVMM), 441–454
 - hardware requirements for, 444–448
 - options for, 442
 - software requirements for, 442–444
 - steps in, 449–454
 - of Windows Server Backup, 424–425
 - overview of, 105–106
 - performance modifications for, 269–274
 - security best practices and, 236
 - Server Core modification commands after, 137–139
 - slipstreaming in, 108–109
 - software and tools for, 107
 - System Center Virtual Machine Manager (SCVMM) for, 131–136
 - Unattend.xml for, 121–122
 - Windows Automated Installation Kit for, 108
 - Institute of Electrical and Electronic Engineers (IEEE), 194–196
 - instruction completion services, of VID, 83
 - integration components virtual device, 14, 87
 - Integration Services, 179–184
 - architecture of, 94–96
 - for storage addition and removal, 343
 - for virtualization backup and recovery, 718
 - guest operating systems supported by, 183–184
 - heartbeat function in, 181
 - Hyper-V Manager and, 413–414
 - in Hyper-V, 35
 - in worker process, 86
 - installation of, 420–422
 - key value pair exchange function in, 181–183
 - localization files of, 235–236
 - performance and, 290–291
 - PowerShell to access, 572
 - shutdown function in, 181
 - synthetic devices supported by, 402

synthetic network adapters enabled by, 301

System Center Data Protection Manager 2007 SP1 and, 493–495

Time Synchronization Service in, 180–181

Virtualization Service Clients and, 80

Volume Shadow Copy Service in, 183

VSS Writer and, 78

Windows hypervisor files and, 230–233

Intel VT

- architecture of, 4, 9
- Hyper-V supported by, 31
- installation with, 106

Intel XD (execute-disable) bit, 31, 332

intelligence benchmarking, 650

Intelligent Placement, SCVMM use of, 632

Internal virtual networks, 459

- adapter settings for, 408
- creating, 63–65
- Hyper-V advanced features for, 189–192
- New-VMInternalSwitch command-line parameters for, 589
- performance of, 301
- traffic flow and, 184
- virtual network switches and, 45
- virtual switch in, 93

Internet Security & Acceleration Server 2008, 194

interrupt handling services, of VID, 83

invocationID attribute, 489

I-O Memory Management Unit (IOMMU), 5, 8

I-O virtualization technology, 8

IOCTL (input-output control) API interface, 83

IP address, of network adapter, 142

IP subnet sweeping, 672

iSCSI protocol

- connectivity for, 28
- failover clusters and, 202–204, 218–220
- for clusters, 601
- in data center virtualization, 600
- in Hyper-V virtual machine environment, 44–45
- jumbo frames and, 286
- Live Migration and, 346–348
- LUNs (logical unit numbers) of, 318
- network adapters for, 283
- pass-through disks and, 97
- requirements for, 282
- shared configurations for, 220–221
- System Center Data Protection Manager 2007 SP1 and, 502
- traffic storage for, 598
- virtual hard disk storage and, 369

ISO building, 106, 110–111

isolation

- for virtual desktops, 618
- for VLANs, 194, 198

- in application-level virtualization, 15
- in software virtualization, 10
- in Web hosting, 15
- IOMMUs for, 8

issue tracking, 726–727

J

Java VM, 10

jumbo frames

- configuring, 286–287
- description of, 38
- performance and, 284
- Windows Server 2008 R2 and, 343–344

K

kernel mode interface, for memory management, 83

kernel model, shared, 15

kernel-level driver, VMM as, 12

Keyboard component, in Hyper-V settings, 66

key-value pair exchange function, 87, 181–183

KPIs (Key Performance Indicators), 727

KVM (Keyboard-Video-Mouse) switches, 666

L

language options, 148

LANs, virtual. *See* VLANs (virtual LANs)

large receive offload (LRO), 38

large segment offloading support, 94

large send offload (LSO), 38, 284, 302

latency

- command queuing to reduce, 280
- full virtualization and, 11
- Non-Uniform Memory Access (NUMA) to reduce, 277
- testing for, 303–304

legacy network adapters, 46, 86, 94, 291–292, 301–302

LeoStream migration tool, 727

library server, 463–472

- component hardware requirements of, 446–447
- guest operating system profiles in, 470–471
- hardware profiles in, 469
- library files in, 471–472
- overview of, 463–465

- PowerShell scripts in, 468–469
- virtual machine storage permissions in, 462
- virtual machine templates in, 465–468

library, data center, 603–604

library, Hyper-V, 576–593

- execution policy for, 576–577
- functions of, 578–581
- memory loading of, 577
- snapshot management by, 580–581, 590–593
- virtual hard disk management by, 579–580, 586–588
- virtual machine management by, 578–579, 581–586
- virtual network management by, 580, 588–590

lights-out management board, 608

Lightweight Directory Access Protocol (LDAP), 670

linked virtual hard disks, 44

Linux virtual machines, 13, 183

Live Migration, 37, 346–352. *See also* migration; *also* Quick Migration

- cluster networks configuration for, 352
- cluster shared volume configuration for, 350–351
- in System Center Virtual Machine Manager (SCVMM), 365
- initiating, 352
- overview of, 338–341
- two-node Hyper-V server cluster for, 347–349
- virtual machine creation for, 351–352

load balancing

- in data center virtualization, 599
- in Hyper-V cluster, 706
- in Live Migration, 346

load balancing and failover (LBFO), 286–289

local administrators group, 137, 144

localization files

- driver, 234–235
- information, 235
- Integration Services, 235–236

locally attached disks, 97

logged data capture, in Performance Monitor, 371, 373

logging off, 149

logical processors (LPs), 274. *See also* processors

LTPR, 295–296

LUNs (logical unit numbers)

- Clustered Shared Volumes and, 37
- iSCSI, 97, 318
- Live Migration performance and, 340–341
- multiple virtual machines per, 365
- pass-through disks and, 44, 200
- storage area networks (SANs) and, 282

M

MAC (media access control)

- address pools of, 198–200
- Address Range configuration for, 344–345
- address spoofing of, 344–345, 365
- dynamic and static addresses for, 409
- in load balancing and failover (LBFO), 287–289
- virtual network adapters and, 46
- virtual switch and, 94
- machine-level software virtualization, 10–14
- maintenance hosts, 262
- maintenance mode, 365, 541–542
- maintenance, remote, 608
- MakeCert.exe utility, 577
- management client
 - files of, 226
 - resources files of, 227
- Management Packs, in SCOM 2007, 539–563
 - features of, 545–548
 - installation of, 549–556
 - monitoring Hyper-V servers with, 373–374, 556–563
 - overview of, 373–374, 539–545
- management, overview of, 357–376. *See also* PowerShell; *also* server farm management; *also* single server management
 - Failover Cluster Manager for, 360–361
 - for disaster recovery, 366–370
 - Hyper-V Manager for, 358–359
 - monitoring in, 370–375
 - System Center Virtual Machine Manager (SCVMM) for, 361–365
- mapping virtual-to-physical memory addresses, 5
- maximum transmission units (MTUs), 305
- MaximumMAC address key value, 198
- mean time between failures (MTBF), 622
- memory
 - as VMBus channel transfer pages, 80
 - for Hyper-V library, 577
 - guest address space for, 5
 - hardware limits for, 683–684
 - Hyper-V Manager and, 403–404
 - Hyper-V R2 version support of, 338
 - in Hyper-V architecture, 89–90
 - in saved state file, 317
 - in virtual machines, 296–300
 - inventory of, 660
 - I-O Memory Management Unit (IOMMU) for, 5
 - isolation to protect, 8
 - Live Migration performance and, 340
 - memory address translations for, 37

- memory manager for, 86
- Nested Page Tables to save, 7
- Non-Uniform Memory Access (NUMA) for, 28
- performance of, 275–278, 665, 688
- random access, 70
- Rapid Virtualization Indexing and, 7
- Set-VMMemory command-line parameters for, 582
- shadow paging impact on, 6
- specification for, 314
- Virtual Machine Management Service for, 82
- virtual memory address space for, 72
- Virtual Memory Control Data Structure (VMCS) for, 9
- Virtualization Stack Memory Manager (VSMM) for, 81, 83
- virtual-to-physical address mappings for, 5
- Memory Management Unit (MMU), 8
- metadata, from VSS writer, 78, 488
- metrics, problem, 639
- microkernel architecture, of Windows hypervisor, 28, 69. *See also* architecture; *also* Hyper-V
- Microsoft Application Virtualization, 631
- Microsoft Assessment and Planning Solution Accelerator (MAP), 672–676, 691–697
- Microsoft Deployment Services, 301
- Microsoft Deployment Toolkit 2008, 107, 123–131
- Microsoft Exchange 2007 Unified Messaging Role, 691
- Microsoft Hyper-V configuration tool, 139–150
 - for computer names, 141–142
 - for date and time, 149
 - for domains or workgroups, 140–141
 - for exiting to command line, 150
 - for local administrator addition, 144
 - for logging off, 149
 - for network settings, 142–144
 - for regional and language options, 148
 - for Remote Desktop, 147–148
 - for restarting server, 150
 - for shutting down server, 150
 - for Windows Updates, 144–146
- Microsoft Hyper-V Server 2008. *See also* Hyper-V
 - description of, 32–33, 69
 - Hyper-V installation in, 116–120
- Microsoft Installer (MSI) package, 632
- Microsoft Integrated Virtualization ROI tool (Alinean), 649
- Microsoft iSCSI Software Initiator, 601
- Microsoft iSCSI service, 220
- Microsoft Office Excel, 696, 712, 726
- Microsoft Office Outlook, 730
- Microsoft Office SharePoint Server (MOSS), 368, 726–727
- Microsoft Office Word, 731
- Microsoft Operations Manager (MOM), 667, 725
- Microsoft Partner Solution Center (MPSC), 206
- Microsoft SoftGrid Application Virtualization for Terminal Services, 16
- Microsoft SoftGrid Management Web Service, 16
- Microsoft SoftGrid Sequencer, 16
- Microsoft SoftGrid Virtual Application Server, 16
- Microsoft Speech Server, 691
- Microsoft SQL Server, 363, 368, 448, 563
- Microsoft SQL Server Express Edition, 672, 674
- Microsoft Virtual Network Switch adapter, 188
- Microsoft Virtual Network Switch Protocol, 45
- Microsoft Visual Studio Team System, 726
- Microsoft Windows Server Update Service (WSUS), 423
- migration, 311–330. *See also* Live Migration
 - downtime minimizing in, 313
 - in server virtualization, 727–728
 - of virtual desktop infrastructure, 620–621, 627
 - of virtual machines, 316–327
 - compatibility in, 318
 - completion of, 325–327
 - considerations in, 316–318
 - differential disks merged in, 323–324
 - emulated network card removal in, 321–322
 - hardware abstraction layer in, 325
 - saved states restored or discarded in, 323
 - SCSI boot to IDE boot conversion in, 319–321
 - undo disk discarded in, 322
 - Virtual Machine Additions removal in, 321
 - physical-to-virtual (P2V) machine, 660, 727
 - Quick Migration for, 34–35
 - server hardware support in, 312
 - System Center Virtual Machine Manager for, 364–365, 517–538
 - offline physical-to-virtual (P2V) migration by, 527–537
 - online physical-to-virtual (P2V) migration by, 519–527
 - options for, 517–518
 - requirements for, 518–519
 - to Hyper-V, 313–316

- Virtual Server 2005 R2 hosts and, 312
- wireless networking support in, 312
- milestones, for pilot projects, 732–733
- MinimumMAC address key value, 198
- mirroring, in RAID, 281
- mixed data center consolidation, 23
- ModifyVirtual System method, 575
- monitoring, 370–375
 - Management Packs for, 373–374, 556–563
 - Reliability and Performance Monitor for, 370–373
 - System Center Operations Manager (SCOM) for, 373–375, 540–541
 - team for, 642, 646
- motherboards, 275, 661
- mountpoints, drive letter restrictions and, 217–218
- Mouse Release Key, in Hyper-V settings, 66
- multilevel differencing virtual hard disk hierarchy, 155
- "my server" syndrome, 652
- My Workspace, in SCOM 2007, 540, 544–545

N

- names, virtual machine, 413
- Native Command Queuing (NCQ), 280
- native virtualization method, 11–12, 14
- natural disasters, 21
- NDIS intermediate MUX driver, for virtual switch, 94
- Nested Page Tables (NPTs), 5–7, 37, 342
- .NET Framework, 577
- netstat -t command, 285
- network adapters, physical, 262
- network adapters, virtual, 46
 - Add-VMNic command-line parameters for, 583–584
 - as plug-in DLLs, 86
 - Ethernet, 94
 - for iSCSI protocol, 321
 - Gigabit Ethernet, 689
 - hardware limits for, 684
 - Hyper-V Manager and, 408–411
 - inventory of, 660
 - legacy, 291–292, 301–302
 - overview of, 46, 94
 - parent partition communication through, 186
 - synthetic, 301
 - teamed, 286–287, 289, 599
- network interface cards. See NICs (network interface cards)
- network ports, 186
- Network-Attached Storage (NAS), 44, 620

- Networking Management Service (NMS), 84, 237, 243, 546
- networks, virtual
 - architecture of, 92–94
 - clustering, 352
 - collision rate characteristics of, 709
 - common names for, 272
 - enhancements to, 38, 365
 - for offline physical-to-virtual (P2V) migration, 533
 - Hyper-V and, 45–46, 63–65
 - Hyper-V library management of, 588–590
 - Hyper-V server configuration of, 138
 - Hyper-V specification for, 314
 - in data center virtualization, 598–599
 - in software development virtualization scenario, 614
 - in test and development environments, 610
 - Integration Services and, 35
 - Live Migration performance and, 340
 - MAC address pools in, 198–200
 - manager role for, 255–256
 - Microsoft Hyper-V configuration tool and, 142–144
 - migrating, 315–316
 - operations of, 245–246
 - performance of, 283–289, 665, 689–690
 - renaming, 271–272
 - server farm management and, 460–461
 - subnets in, 657
 - System Center Virtual Machine Manager (SCVMM) and, 459–461
 - time synchronization and, 180
 - traffic flow in, 184–194
 - virtual LANs in, 194–198
 - virtual machine performance and, 300–304
 - Virtual Network Manager for, 344
 - wireless, 312
- New Virtual Hard Disk Wizard, 61, 401
- New Virtual Machine Wizard, 50, 215, 325, 399–400, 405
- New-VM command-line parameters, 581, 584
- New-VMExternalSwitch command-line parameters, 589
- New-VMInternalSwitch command-line parameters, 589
- New-VMPrivateSwitch command-line parameters, 590
- New-VMSnapshot command-line parameters, 591
- NICs (network interface cards), 521
 - Add-VMNic Command-Line Parameters for, 583–584
 - emulated, 321–322
 - iSCSI disks and, 45
 - TCP Offload Engines and, 38

- teaming of, 289
- virtual, 45–46
- nonmaskable interrupts (NMI), 71
- Non-Uniform Memory Access (NUMA), 28, 277–278, 298–300
- Novell SUSE, 677
- NTDS Settings object, 489
- NTFS formatted virtual hard disks, 165–166
- NTFS security policy, 248, 263, 265–266
- NUMPROC parameter, 277

O

- OCSetup.exe command-line tool, 115–116
- offline physical-to-virtual (P2V) migration, 364, 517, 527–537
 - Additional Properties page in, 534–535
 - conversion information for, 535–536
 - executing, 537
 - host for placement in, 532–533
 - networks for, 533
 - offline IP address for, 530–531
 - overview of, 527–528
 - prerequisites for, 528
 - storage path for, 533
 - system information for, 528–529
 - virtual machine configuration for, 531–532
 - volume configuration for, 529–530
- offloading
 - by TCP Chimney Offload, 284–285
 - by TCP Offload Engine, 38
 - hardware, 302
 - iSCSI communications, 598
 - large receive, 38
 - large segment, 94
 - large send, 38, 283–284
- offshore development, virtual desktop infrastructure for, 628–629
- online physical-to-virtual (P2V) migration, 517, 519–527
- Open Systems Interconnection (OSI) model, 194
- open-source virtualization solutions, 13
- operating system-level software virtualization, 14–15
- Operations Manager 2007, 363, 373
- operations plan for server virtualization, 728–729
- operations team, in server virtualization, 642, 645–646
- Oscdimg.exe command-line tool, 110
- out of scope of server virtualization project, 646
- overhead storage, 278

P

- P2V wizard, 535
- packet loss, testing for, 303
- page tables, shadow versions of, 6
- page walker, 7
- paging, mapping versus, 89
- Parallels Virtuozzo Containers, 15
- paravirtualization, 12–14
- parent partitions. *See also* child partitions
 - description of, 72
 - in Hyper-V, 28–29, 70
 - integration components virtual device and, 87
 - memory for, 276, 297, 314
 - monitoring, 370
 - network I-O for, 79
 - network performance and, 283
 - physical network adapter for, 262
 - RAM control by, 70
 - storage for, 278
 - time synchronization based on, 180
 - virtual memory pages of, 90
 - virtual network adapters in, 186
 - virtual NIC created in, 45
 - Virtualization Infrastructure Driver and, 81
 - VLANs in, 196–197
 - wireless networking and, 303
- parent-child relationship, in differencing virtual hard disks, 154, 156–159
- partitions. *See also* child partitions; *also* parent partitions
 - deleted from guest operating system, 166
 - expanding virtual hard disks and, 170
 - in application-level virtualization, 15
 - in Hyper-V, 28, 70, 72
 - multiple logical, 4
 - operations support for, 83
 - Virtual Machine Management Service for, 82
 - virtual NIC created in, 45
- pass-through virtual hard disks (VHDs)
 - architecture of, 97
 - child partitions storage on, 278
 - description of, 305
 - guest operating system booting and, 405, 407
 - Hyper-V advanced features for, 200–202
 - in Hyper-V virtual machine environment, 44
- Pathping.exe utility, 303
- payloads, send and receive, 38
- performance
 - assessment of, 686–690
 - disk fragmentation and, 166
 - full virtualization and, 11
 - Hyper-V processor specification and, 314
 - in server virtualization discovery phase, 663–665
 - jumbo frames for, 343
 - monitoring, 370–373, 438–439
 - of Live Migration, 340
 - Rapid Virtualization Indexing and, 7
 - shadow paging impact on, 6
 - thresholds for, 685–686, 712
- Performance and Resource Optimization (PRO), 375, 456–457, 480, 605
- Performance Metrics Wizard, 674–676, 692
- performance, optimizing, 269–310
 - for disk drives, 280–282
 - for host storage, 278–280
 - for memory, 275–278
 - for network, 283–289
 - for processors, 274–275
 - for virtual machines, 290–307
 - memory of, 296–300
 - network of, 300–304
 - processors of, 290–296
 - storage of, 305–307
 - installation modifications for, 269–274
 - standards for, 308–309
 - teamed network adapters for, 289
- peripheral port hardware limits, 685
- peripherals, address translation for, 8
- permissions
 - best practices for, 248
 - for virtual machine snapshot creation, 345
 - Full Control, 263
 - in Authorization Manager, 240
 - Self-Service Portal and, 462
- persistent virtual machines (VMs), 631
- phased implementation, of server virtualization project, 647
- Physical Ethernet network adapters, 660
- physical-to-virtual (P2V) migration, 727
 - IDE (Integrated Drive Electronics) and, 660
 - offline, 517, 527–537
 - online, 517, 519–527
 - System Center Virtual Machine Manager for, 364
- ping test, 672
- PlateSpin PowerRecon tool, 676–678, 727
- Plug and Play (PnP) Device Interface, 83
- plug-in DLLs, 86
- point-to-point channels, 79–80
- policy manager, of networking VSP component, 93
- pooled virtual machines (VMs), 631
- port scanners, in server virtualization discovery phase, 671
- portability, of differencing disks, 158
- port-based VLANs (virtual LANs), 610
- power failure, 205. *See also* disaster recovery
- power management, 20
 - Core Parking for, 342–343
 - cost savings in, 700
 - enhancements in, 38
 - server models and, 666
 - thin client devices and, 622
 - uninterruptible power supplies for, 661
- Powercfg.exe utility, 343
- PowerShell, 299, 565–594
 - for disk fragmentation, 167
 - for VHD file unmounting, 169
 - Hyper-V and, 27, 67
 - Hyper-V library for, 576–593
 - execution policy for, 576–577
 - functions of, 578–581
 - memory loading of, 577
 - snapshot management by, 590–593
 - virtual hard disk management by, 586–588
 - virtual machine management by, 581–586
 - virtual network management by, 588–590
 - in migration, 524, 537
 - library server scripts of, 468–469
 - Live Migration and, 339
 - SCVMM management by, 461
 - VMM Administrator Console and, 363
 - VMM Windows interface for, 442
 - WMI interface classes and, 566–576
 - categories of, 566–567
 - connecting to, 567–568
 - Hyper-V server queries in, 569–570
 - queries to multiple, 571–573
 - specific virtual machine queries in, 570–571
 - virtual machine settings for, 573–576
- Pre-boot Execution Environment (PXE), 28, 46, 292
- precompaction of virtual hard disks (VHDs), 165, 168
- Print Services, 32
- Private virtual networks, 459
 - adapter settings for, 408
 - creating, 63–65
 - Hyper-V advanced features for, 192–194
 - New-VMPrivateSwitch command-line parameters for, 590
 - performance of, 301
 - traffic flow and, 184
 - virtual switch in, 46, 93
- privileges
 - for Authorization Manager, 261
 - for Virtual Machine Manager (VMM), 5
 - of Hyper-V services, 237
 - processor ring definition of, 69

Ring -1, 13
 problem statements, in server virtualization, 638–640
 Processor Resource Control, 293–295
 processors
 Core Parking of, 342–343
 dual-core and quad-core, 4
 hardware limits for, 683
 Hyper-V Manager and, 404
 Hyper-V specification for, 314
 in Hyper-V architecture, 92
 in Hyper-V R2 version, 337
 Memory Management Unit (MMU) of, 8
 performance of, 274–275, 664, 687–688
 privileges defined by rings of, 69
 Set-VMCPUCount command-line parameters for, 582
 Translation-Lookaside Buffer (TLB) in, 5
 Virtual Infrastructure Driver and, 82
 virtual machine performance of, 290–296
 Virtual Processor Identifier (VPID) for, 9
 project management, in server virtualization, 641–643
 project phases, in server virtualization, 648–649
 provisioning
 in branch office virtualization, 607
 in data center virtualization, 603
 in desktop virtualization, 17, 620, 632
 in test and development environments, 20, 609–610
 library servers and, 464
 Pre-boot Execution Environment (PXE) and, 46
 time reductions for, 22

Q

Quick Migration, 34–35, 37, 338, 417

R

rack space savings, in virtualization, 699–700
 rack-based uninterruptible power supplies, 661
 rack-mount servers, 597, 666
 RAID (redundant array of inexpensive disks)
 best practices for, 280–282
 hardware subsystems of, 688
 in branch office virtualization, 606–607
 in data center virtualization, 600
 random access memory (RAM), 70
 Rapid Virtualization Indexing (RVI), 5–6, 342
 RBACs (role-based access controls), 239

RDP Encoder virtual device, 87
 read-only parent differencing disks, 158
 READY state, of virtual processors, 92
 real-time data capture, in Performance Monitor, 371
 receive side scaling, 284
 Reconnect Virtual Hard Disk Wizard, 160
 recovery. *See* backup and recovery;
 disaster recovery; disaster recovery
 RedHat Linux, 677
 redundancy, in storage arrays, 280–282
 redundant power supplies, 666
 refresh cycles, lengthening, 622
 .REG file, 427–428
 regional options, 148
 registers, Virtual Infrastructure Driver and, 82
 Registry Editor (REGEDIT), 426
 Reliability and Performance Monitor, 370–373, 377, 664
 Remote Desktop Connection Broker, 39, 631
 Remote Desktop Protocol (RDP), 36
 Encoder virtual device for, 87
 in worker process, 86
 installation over, 114
 Integration Services shutdown function and, 181
 Microsoft Hyper-V configuration tool and, 147–148
 Single Port Listener for, 77
 VMConnect and, 273–274
 VMConnect.exe use of, 359
 Remote Desktop Services role, 631
 Remote Installation Services, 301
 remote maintenance, 608
 remote management, 353, 383–393
 Remote Procedure Call (RPC) service, 237
 Remote Registry, 674
 Remote Server Administration Tools (RSAT), 32, 274, 353, 358, 360, 383
 Remove-VM command-line parameters, 585
 Remove-VMSnapshot command-line parameters, 593
 Rename-VMSnapshot command-line parameters, 591–592
 Reporting workspace, in SCOM 2007, 540, 543, 562–563
 repository, for virtual desktop infrastructure, 628
 RequestStateChange method, 571–572
 Reset Check Boxes, in Hyper-V settings, 66
 Resume Configuration Wizard, 336
 rich client devices, 625
 Ring 0 execution mode, 5, 13, 69
 Ring -1 execution mode, 5, 13
 Ring 3 execution mode, 13, 69
 ring buffers, 80

ring compression, 12–13
 risk identification, 644, 651–653, 731–732
 ROI (return on investment) analysis, 625, 649
 rotated parity, in RAID, 281
 Routing and Remote Access Services (RRAS), 610
 RSS feeds, 545
 RUNNING state, of virtual processors, 92
 runtime support, Hyper-V architecture for, 83

S

SANs (storage area networks), 44, 369
 advantages of, 282
 best practices for, 282
 Compellent Technologies, 207–213
 failover clusters and, 202
 in data center virtualization, 600–601
 migration of, 365
 pass-through disks and, 200
 System Center Data Protection Manager 2007 SP1 and, 502
 virtual desktops and, 620
 saved states
 in planned downtime, 205
 in virtual machine snapshots, 173, 176
 migration and, 317, 323
 storage for, 278
 scenarios, virtualization, 23–25
 scheduler, in project management, 643
 scope
 for Authorization Manager, 256–259
 in server virtualization, 722–723
 scope creep in, 647
 ScopeOfResidence property, 259
 screen savers, 292
 scripts. *See also* PowerShell
 for discovery process automation, 667–668
 for disk fragmentation, 167
 for SCSI to IDE conversion, 319–321
 for site location information, 657
 for VHD file unmounting, 169
 for VM memory assignment, 299
 for Windows Updates, 145
 HVRemote configuration, 392–393
 Hyper-V and, 27, 67
 self-signed, 577
 Visual Basic for Applications, 730
 SCSI (Small Computer System Interface)
 as plug-in DLL, 86
 as synthetic controller, 306–307
 description of, 44–45
 IDE boot conversion and, 316, 319–321
 in hardware inventory, 660

Second Level Address Translation (SLAT)

- pass-through disks and, 202
- performance and, 279–280
- serial attached, 688
- shared, 318
- virtual motherboard and, 86
- Second Level Address Translation (SLAT), 341–342
- Secure Virtual Machine (SVM) architecture (AMD), 5
- security, 225–268
 - Authorization Manager for, 240–241
 - Authorization Store for, 227, 241–243
 - best practices for, 260–263
 - firewall rules for, 237–239
 - Hyper-V compiled Help files and, 230
 - Hyper-V compiled HTML Help files and, 230
 - Hyper-V compiled Windows hypervisor and Integrated Services files and, 230–233
 - Hyper-V driver files and, 234
 - Hyper-V driver localization files and, 234–235
 - Hyper-V Event Viewer files and, 227
 - Hyper-V groups for, 391
 - Hyper-V information localization files and, 235
 - Hyper-V Integration Services localization files and, 235–236
 - Hyper-V management client files and, 226
 - Hyper-V management client resources files and, 227
 - Hyper-V operations for, 244–248
 - Hyper-V Services overview for, 237
 - Hyper-V virtual driver information files and, 228–230
 - Hyper-V virtual floppy disk default folder and, 228
 - Hyper-V virtual hard disk default folder and, 228
 - Hyper-V virtual machine snapshot default folder and, 228
 - Hyper-V virtual machines default folder and, 228
- isolation for, 8, 10
- monitor role for, 249–255
- of storage devices, 17
- of virtual desktops, 618
- of virtual machine access, 263–268
- port scanners and, 671
- role-based, 359
- server virtualization risks and, 652
- SIDs (security identifiers) for, 264
- third-party device drivers and, 28
- virtual machine manager role for, 256–260
- virtual network manager role for, 255–256

- segment registers, 82
- SELECT statements, 571, 574
- Self-Service Web Portal
 - component hardware requirements of, 447
 - for server farm management, 461–463
 - for test labs, 611
 - for virtual machine management, 604–605
 - in Virtual Machine Manager, 363
 - installation of, 453–454
- self-signed scripts, 577
- send and receive payloads, 38
- send-receive buffer adjustments, 284
- serial communication ports, 86
- serial port devices, 661
- Serial-ATA (SATA) drives, 279–280
- Serial-Attached SCSI (SAS) drives, 279–280, 688
- server
 - Hyper-V settings for, 66
- Server Core
 - as installation best practice, 236
 - Hyper-V installation in, 31–32, 105–106
 - modification commands for, 137–139
 - OCSetup.exe command-line tool for, 115–116
 - processor performance and, 275
- server farm management, 441–481. *See also* single server management
 - grouping for, 456–458
 - host types for, 455–456
 - of Hyper-V clusters, 479–481
 - of library server, 463–472
 - guest operating system profiles in, 470–471
 - hardware profiles in, 469
 - library files in, 471–472
 - overview of, 463–465
 - PowerShell scripts in, 468–469
 - virtual machine templates in, 465–468
- of networking, 460–461
- of properties, 458–460
- of virtual machines, 472–478
 - checkpoints in, 474
 - cloning, 475–476
 - overview of, 472–474
 - properties of, 476–478
- Self-Service Portal in, 461–463
- System Center Virtual Machine Manager installed for, 441–454
 - hardware requirements for, 444–448
 - options for, 442
 - software requirements for, 442–444
 - steps in, 449–454
- Server Manager MMC, 111–114
- server message block (SMB) file transfers, 286
- server virtualization

- assessment phase of, 681–702
 - application support limits in, 690–691
 - candidate identification in, 681–682
 - cost savings in, 698–701
 - hardware limits in, 683–685
 - Microsoft Assessment and Planning Solution Accelerator (MAP) for, 691–697
 - performance assessment for, 686–690
 - performance thresholds for, 685–686
 - virtual machine hardware limits in, 682–683
- discovery phase of, 655–679
 - automating, 666–672
 - environmental information in, 665–666
 - hardware inventory collection in, 658–661
 - information collection in, 656–657
 - Microsoft Assessment and Planning Solution Accelerator for, 672–676
 - performance monitoring in, 663–665
 - PlateSpin PowerRecon tool for, 676–678
 - services collection in, 662–663
 - software inventory collection in, 661–662
- envisioning phase of, 635–654
 - budget setting in, 654
 - definition of, 635–637
 - problem statements for, 638–640
 - project scope in, 646–649
 - project team for, 640–642
 - risk identification in, 651–653
 - ROI analysis in, 649
 - team for, 637
 - team roles for, 642–646
 - vision statement for, 637
- pilot phase of, 721–735
 - architecture of, 723–724
 - communications plan for, 729–731
 - deployment plan for, 725
 - implementing, 733–734
 - issue tracking plan for, 726–727
 - lessons learned from, 734
 - migration plan for, 727–728
 - milestones in, 732–733
 - objectives of, 721–722
 - operations plan for, 728–729
 - risk documentation in, 731–732
 - scope of, 722–723
 - success criteria for, 733
 - success measurement in, 734
 - support plan for, 725
 - training plan for, 729
- planning and design phase of, 703–719
 - consolidation planning in, 707–715
 - Hyper-V host configurations in, 705–707
 - infrastructure backup and recovery

- in, 717–718
 - infrastructure management in, 716
 - infrastructure monitoring in, 716–717
 - infrastructure updates in, 717
- x86, 4–10
 - AMD-V architecture and, 5
 - AMD-V I-O virtualization technology for, 8
 - AMD-V rapid virtualization indexing for, 6
 - Intel VT architecture and, 9
- Server Virtualization and Consolidation Wizard, 675–676, 691–697
- ServerManagerCmd.exe command-line tool, 114–115
- servers. *See also* branch offices; *also* data center virtualization scenario; *also* Hyper-V server; *also* server farm management; *also* single server management; *also* softwarevirtualization; *also* test and development environments
 - "my server" syndrome and, 652
 - as core virtualization component, 624
 - DNS (domain name system), 142
 - dynamic infrastructure of, 20–21
 - dynamic tuning for, 23
 - migration and, 312
 - restarting, 150
 - shutting down, 150
 - sprawl of, 3
 - Sun Microsystems, 206
 - two-node Hyper-V cluster of, 347–349
- service connection ports (SCP), 77
- Session Broker, 631
- Set-VMCPUCount command-line parameters, 582
- Set-VMMemory command-line parameters, 582
- Shadow Page Tables (sPT), 6, 341
- shared kernel model, 15
- Shutdown Integration Component, 87, 181
- SIDs (security identifiers), for virtual machines (VMs), 264
- Single Port Listener, 77, 87, 273
- single server management, 377–439
 - Hyper-V Manager views for, 393–395
 - Hyper-V tools for, 378–383
 - of guest operating system installation, 418–420
 - of health and performance monitoring, 438–439
 - of Hyper-V settings, 395–396
 - of Integration Services installation, 420–422
 - of virtual machine state, 422–423
 - of virtual machine updates, 423
 - of virtual machines by Hyper-V Manager, 398–418
 - automatic start in, 415–416
 - automatic stop in, 416–417
 - BIOS settings in, 403
 - COM port settings in, 411–412
 - creation of, 399–401
 - diskette drive settings in, 412–413
 - DVD drive settings in, 407–408
 - hardware devices added in, 402
 - Integration Services settings in, 413–414
 - memory settings in, 403–404
 - naming of, 413
 - parameters for, 398–399
 - processor settings in, 404
 - removing, 417–418
 - snapshot file location in, 414–415
 - tuning settings of, 401–402
 - virtual hard disk settings in, 405–407
 - virtual network adapter settings in, 408–411
 - of Windows Server Backup, 424–437
 - configuring, 425–428
 - considerations in, 428
 - for virtual machine backup, 433–437
 - for virtual machine restoring, 428–433
 - installing, 424–425
 - remote, 383–393
 - Virtual Machine Management Service state and, 396–398
- single-instance host operating system, 14
- site-to-subnet mappings, 657
- SLAT (Second Level Address Translation), 341–342
- slipstreaming
 - Hyper-V RTM, 106, 109–110
 - preparing for, 108–109
- snapshots
 - checkpoints reference to, 474
 - for inventorying, 663
 - Hyper-V feature for, 36
 - Hyper-V library management of, 590–593
 - Hyper-V R2 and, 345
 - in data center virtualization, 601
 - in differencing virtual hard disk (VHDs), 97
 - in Hyper-V Manager, 414–415
 - in virtual machine metadata, 78
 - in Volume Shadow Copy Service (VSS), 34
 - pass-through virtual hard disks (VHDs) and, 305
 - performance and, 269
 - Snapshot Manager for, 170
 - storage of, 22
 - time synchronization and, 180
 - undo disk feature versus, 317
 - virtual machine, 52–56
 - apply snapshot option for, 176–178
 - automatic differencing disk created for, 162
 - creating, 172–176
 - delete snapshot option for, 179
 - overview of, 170–172
 - revert snapshot option for, 176
- Virtual Machine Management Service (VMMS) for, 77, 237
- virtual machines (VMs) default folder for, 228, 236
- SNMP (Simple Network Management Protocol), 674
- Softtricity and SoftGrid products, 16
- software
 - for System Center Virtual Machine Manager (SCVMM) installation, 442–444
 - inventory of, 661–662
 - PlateSpin PowerRecon inventory feature for, 677
 - virtualization scenario for development of, 613–615
- software virtualization
 - application-level, 15–17
 - desktop-level, 17–18
 - machine-level, 10–14
 - operating system-level, 14–15
 - source replication partner directory database identities, 489
- SPARC, 677
- spoofing, MAC address, 344–345, 365
- Stability Index, 370
- standard emulated hardware configuration, 19
- standards for performance, 308–309
- state machine, 87
- state, virtual machine, 56–57
- static MAC (media access control) addresses, 46
- static versus dynamic virtual desktops, 17, 623–624
- steering committee, in server virtualization, 641–642
- storage. *See also* SANs (storage area networks)
 - addition and removal of, 38
 - as core virtualization component, 624
 - desktop virtualization and, 17
 - dynamic addition and removal of, 343
 - expanding virtual hard disks for, 170
 - for iSCSI traffic, 598
 - for offline physical-to-virtual (P2V) migration, 533
 - for System Center Data Protection Manager 2007 SP1, 502–504
 - Hyper-V specification for, 314
 - in data center virtualization, 600–601
 - in software development virtualization scenario, 614
 - in test and development environments, 609–610
 - in virtual desktop infrastructure, 621

Streaming Media Services

- in virtual machine performance, 305–307
- inventory of, 660
- Live Migration performance and, 340
- of virtual hard disks (VHDs), 369
- performance of, 278–280, 665
- Quick Migration and, 34
- redundancy in, 280–282
- SAN migration and, 365
- virtualization benefits for, 22
- witness and data volumes for, 207–214

Streaming Media Services, 32

streaming, application, 17, 626

striped mirrors, in RAID, 281

subject matter experts, in server virtualization, 641, 644

subnet mask, of network adapter, 142

subtree, snapshot, 179

Sun Microsystems servers, 206

Sun Solaris, 677

SUSE Linux Enterprise Server, 29, 297

SUSPENDED state, of virtual processors, 92

SVCHost.exe (WMI Service), 83

SVM (Secure Virtual Machine) architecture (AMD), 5

switch-dependent load balancing and failover (LBFO), 288

switch-independent load balancing and failover (LBFO), 288

SWsoft, 15

symmetric multiprocessing (SMP), of applications, 43

synchronization, 6, 21, 87

synthetic drivers, 80

synthetic network adapters, 46, 93–94, 301

System 360 Model 67 hardware (IBM), 4

System Center Capacity Planner (SCCP), 697

System Center Configuration Manager (SCCM), 423, 666, 717

System Center Data Protection Manager (SCDPM) 2007 SP1, 34, 492–515

- agents for, 497–502
- backup and recovery by, 718
- for disaster recovery, 368–370
- in branch office virtualization scenario, 607
- in deployment, 725
- in test lab virtualization scenario, 612
- installation of, 495–496

Integration Services update and, 493–495

local data protection in, 497

overview of, 492–493

protection group for, 504–510

storage pool for, 502–504

virtual desktop infrastructure and, 632

virtual machine recovery by, 511–515

System Center Operations Manager (SCOM) 2007, 667

Audit Collection Services (ACS) in, 262–263

for infrastructure monitoring, 716

in data center virtualization scenario, 605

in pilot projects, 734

in test lab virtualization scenario, 612

Management Packs of, 539–563

- features of, 545–548
- installation of, 549–556
- monitoring Hyper-V servers with, 373–374, 556–563
- overview of, 539–545
- monitoring by, 373–375, 438

Performance and Resource Optimization (PRO) feature of, 375, 457

virtual desktop infrastructure and, 632

System Center Virtual Machine Manager (SCVMM), 47

Authorization Store of, 243

for Hyper-V installation, 131–136

for migration, 517–538

- offline physical0-to-virtual, 527–537
- online physical-to-virtual, 519–527
- options for, 517–518
- requirements for, 518–519

in pilot projects, 725–726, 729, 734

in server virtualization, 716

in virtualization scenarios, 603–604, 607

installation of, 441–454

- hardware requirements for, 444–448
- options for, 442
- software requirements for, 442–444
- steps in, 449–454

Live Migration and, 339

long-term storage and, 610

overview of, 361–365

power management by, 38

Self-Service Portal feature of, 611, 615

server farm management by, 358

virtual desktop infrastructure and, 632

system management interrupts (SMI), 71

system physical addresses (SPAs), 90

SYSTEM service user account, 264

System Services Configuration Registry, 96

System Stability Chart and Report, 370

Systems Management Server (SMS), 666

SystemSettingData object, 575

SystemTools Exporter Pro, 669

T

Tagged Command Queuing (TCQ), 280

tagging, for VLANs, 196, 198, 302, 610

target (iSCSI server), 282

TCP Offload

- checksum, 302
- chimney, 284–285, 365

- engines for, 38
- Windows Server 2008 R2 support of, 343

TCP-IP checksum, 94

TCPv4 checksum offload, 284

teamed network adapters, 286–287, 289, 599

telecommuting, 612

templates, virtual machine, 465–468

temporal transactional dependencies, 423

Terminal Services RemoteApp, 630, 632

test and development environments, 608–613

- as disaster recovery sites, 613
- management issues in, 611–612
- network issues in, 610
- operational issues in, 612
- snapshot feature for, 171
- storage issues in, 609–610
- virtualization benefits for, 20–21, 24
- VLANs for, 198

testing, in server virtualization, 641, 644–645

thin client devices, 622, 625, 629–630

time compression, in virtualization, 22

time drift, 180

Time Synchronization Service, 87, 180–181

time, Microsoft Hyper-V configuration tool for, 149

total cost of ownership (TCO), 649–651

touch-labor, 622

tracks, in hard disks, 279

training plan for server virtualization, 646, 729

transfer pages, in VMBus channels, 80

Translation-Lookaside Buffer (TLB)

- Address Space Identifier in, 5
- nested, 7
- page walk entries in, 7
- Rapid Virtualization Indexing and, 7
- Virtual Processor Identifiers and, 9

troubleshooting

- Health Explorer tool for, 561
- remote, 608
- test labs for, 613

trunking, 194

trust relationships, in Active Directory forests, 656

tuning, dynamic, 23

two-node Hyper-V server cluster, 347–349

Type-1 VMM (hypervisor model), 10

Type-2 VMM (hybrid model), 10

U

Unattend.xml, for installation, 121–122

undo disk feature, 317, 322

unicast flooded packets, 345

uninterruptible power supplies (UPS), 661, 666
 Units, of rack-based server space, 666
 update sequence numbers (USNs), 489, 612
 update strategy, 261–262
 upgrading, desktop virtualization and, 17
 USB-connected devices, 660
 User Credentials, in Hyper-V settings, 66
 user mode interface, for memory management, 83
 User settings, for Hyper-V, 66

V

VBScript, 392–393, 568
 video frame buffer, 36
 Virtual Desktop Infrastructure (VDI), 17, 39
 virtual desktops. *See* desktop infrastructure, virtual
 virtual floppy disk, 228
 virtual hard disks (VHDs), 96–101
 Add-VMDisk command-line parameters for, 583–584, 587
 Add-VMNewHardDisk command-line parameters for, 587–588
 automatic differencing, 162–163
 child partition storage on, 278
 Clustered Shared Volumes and, 37
 compacting, 154, 165–169
 converting, 154, 164–165
 copying physical disk to, 154, 163–164
 default folder of, 228
 differencing, 154–161
 creating, 156
 merging, 160–161
 parent versus child, 156–159
 reconnecting, 159–160
 using, 161
 dynamic disk header for, 100–101
 dynamically expanding, 269, 401
 expanding, 154, 170
 footer for, 98–99
 Hyper-V and, 35–36, 61–63
 Hyper-V library management of, 586–588
 Hyper-V Manager and, 405–407
 Image Management Service (IMS) and, 84, 237
 in libraries, 463
 in virtual machine environment, 43–44
 local storage of, 369
 naming standards for, 309
 Network Management Service (NMS) and, 237
 New-VMDisk command-line parameters for, 586–587
 pass-through, 97
 size limitations in SCSI, 660
 types of, 305–306
 Virtual Machine Management Service (VMMS) and, 237
 virtual IDE interfaces, 44
 Virtual Machine Connection (VMC), 31, 36–37, 65–66
 Virtual Machine Extensions (VMX), 9
 Virtual Machine Management Service (VMMS), 74–79, 237, 547
 Active Directory Service Marker in, 77–78
 Authorization Store and, 243
 changing state of, 396–398
 cluster resource control in, 79
 components of, 170
 partition management by, 82
 Single Port Listener for RDP in, 77
 Snapshot Manager in, 77
 Virtual Machine Manager in, 76
 virtual machine settings changed by, 573–574
 VSS Writer in, 78–79
 Windows Management Instrumentation (WMI) and, 75–76, 84
 Worker Process Manager in, 76
 Virtual Machine Manager (VMM), 5
 Administrative Console installation for, 452–453
 component hardware requirements of, 445
 in Hyper-V architecture, 76
 in machine-level virtualization, 10–11
 server component installation for, 450–452
 server for, 362–364
 Virtual Machine Queues (VMQs), 38, 343, 365
 Virtual Machine Worker Process (VMWP), 170
 virtual machines (VMs), 472–478. *See also* System Center Virtual Machine Manager (SCVMM)
 access security for, 263–268
 backup and recovery of, 490–491
 BIOS settings of, 403
 checkpoints in, 474
 Choose-VM command-line parameters for, 585
 cloning, 475–476
 default folder of, 228
 hardware limits for, 682–683
 Hyper-V library management of, 581–586
 Hyper-V Manager and, 398–418
 automatic start in, 415–416
 automatic stop in, 416–417
 BIOS settings in, 403
 creating new virtual machines in, 399–401
 diskette drive settings in, 412–413
 DVD drive settings in, 407–408
 Integration Services settings in, 413–414
 memory settings in, 403–404
 naming in, 413
 parameters for management by, 398–399
 processor settings in, 404
 removing VMs by, 417–418
 snapshot file location in, 414–415
 tuning virtual machine settings in, 401–402
 virtual COM port settings in, 411–412
 virtual hard disk settings in, 405–407
 virtual hardware devices added in, 402
 virtual network adapter settings in, 408–411
 Hyper-V R2 version support of, 338
 Live Migration for, 351–352
 logical partitions as, 4
 management overview of, 472–474
 manager role for, 256–260
 memory of, 298–300
 migration of
 compatibility in, 318
 completion of, 325–327
 considerations in, 316–318
 differential disks merged in, 323–324
 emulated network card removal in, 321–322
 hardware abstraction layer in, 325
 saved states restored or discarded in, 323
 SCSI boot to IDE boot conversion in, 319–321
 undo disk discarded in, 322
 Virtual Machine Additions removal in, 321
 New-VM command-line parameters for, 581, 584
 NTFS security policy for folder of, 248
 offline physical-to-virtual (P2V) migration and, 531–532
 operations of, 246
 performance of, 290–307
 memory in, 296–300
 network in, 300–304
 processors in, 290–296
 storage in, 305–307
 permission to create, 462
 persistent, 631
 pooled, 631
 property management of, 476–478
 Remove-VM command-line parameters for, 585
 ScopeOfResidence property for, 259

virtual memory address space

- security levels for, 261
- SIDs (security identifiers) for, 264
- snapshots of
 - apply option for, 176–178
 - automatic differencing disk created for, 162
 - creating, 172–176
 - default folder for, 228, 236
 - delete option for, 179
 - overview of, 170–172
 - revert option for, 176
- state of, 422–423
- System Center Data Protection Manager 2007 SP1 recovery of, 511–515
- templates for, 465–468
- updating, 423
- Virtual Machine Additions and, 492
- Windows Server Backup for, 428–437
- WMI queries to, 570–571
- WMI settings for, 573–576
- virtual memory address space, 72
- Virtual Memory Control Block (VMCB), 5
- Virtual Memory Control Data Structure (VMCS), 9
- virtual motherboard, 86
- virtual network adapters. *See* network adapters, virtual
- Virtual Network Manager, 344
- virtual network switch
 - creating, 588–590
 - network ports and, 186
 - of networking VSP component, 93–94
 - port for, 345
- virtual networks. *See* networks, virtual
- Virtual Processor Identifier (VPID), 9
- virtual processors (VPs), 274. *See also* processors
- virtual SCSI interfaces, 45
- Virtual Server 2005 R2, 4, 12, 28, 239, 624. *See also* migration
- Virtual Server 2005 RE SP1, 455
- Virtual Server Migration Toolkit (VSMT), 518
- Virtual Service Providers (VSPs), 86
- virtualization candidate reports, 374
- Virtualization Infrastructure Driver (VID), 81–83
- Virtualization Service Clients (VSCs), 29, 80
- Virtualization Service Providers (VSPs), 29, 79, 86
- Virtualization Stack Memory Manager (VSMM), 81, 86
- Virtualization Technology for Directed I-O (VT-d), 9
- virtualization, introduction to, 3–26
 - business case for, 19–23
 - overview of, 3–4
 - scenarios for, 23–25
 - software, 10–18
 - application-level, 15–17
 - desktop-level, 17–18
 - machine-level, 10–14
 - operating system-level, 14–15
 - x86 server-based, 4–10
 - AMD-V architecture and, 5
 - AMD-V I-O virtualization technology for, 8
 - AMD-V rapid virtualization indexing for, 6
 - Intel VT architecture and, 9
- virtual-to-physical memory address mappings, 5
- virtual-to-virtual (V2V) migration, 364, 517
- Virtuozzo Containers, Parallels, 15
- vision statement, in server virtualization, 637
- Visual Basic Script files, 33, 730
- VLANs (virtual LANs), 46, 65, 194–198
 - child partition use of, 197
 - for isolated test scenarios, 198
 - identifiers for, 409, 411
 - implementation of, 194–196
 - in testing and development environments, 610
 - in virtual networks, 194–198
 - network adapter inventory and, 660
 - Network Management Service (NMS) and, 237
 - parent partition use of, 196–197
 - performance of, 302
 - tagging, 459
 - virtual switch and, 94
- VM allocation reports, 374
- VM utilization reports, 374
- VMbus, 29, 46
 - in Hyper-V architecture, 80–81
 - integration components virtual device and, 87
 - network VSC and, 93
 - synthetic network adapters and, 301
 - Virtualization Service Providers and, 79
- VMC to Hyper-V Migration Tool, 327
- Vmclusres.dll user mode component, 79
- VM-CMS (Virtual Machine-Conversational Monitor System), 4
- VMConnect.exe client, 273–274, 359
- Vmguest.iso files, 493
- Vmicheartbeat.dll, 87
- Vmickvpexchange.dll, 87
- Vmicshutdown.dll, 87
- Vmictime-sync.dll, 87
- Vmicvss.dll, 87
- VMLAUNCH instruction, 9
- VMM Administrator Console, 362–363
- VMM Agent, 364, 456
- VMM database, 363
- VMM Library, 362
- VMRUN instruction, 5
- VMware, 364, 456, 474
- Volume Shadow Copy Service (VSS). *See also* backup and recovery; *also* VSS writer components of, 78–79
 - for virtualization backup and recovery, 718
 - in data center virtualization, 601
 - in Hyper-V, 34
 - in Integration Services, 183
 - SCDPM support of, 632
 - Windows Server Backup use of, 424
- Volume Shadow Copy Service Administrative command-line tool, 425
- volumes
 - Cluster Shared, 37, 340–341
 - in offline physical-to-virtual (P2V) migration, 529–530
- VShadow application, 485
- VSS Framework, 78
- VSS integration, 87
- VSS Requestor, 78
- VSS writer, 484–488. *See also* Volume Shadow Copy Service (VSS)
 - components of, 486–487
 - GUID of, 425–426
 - metadata document of, 488
 - overview of, 484–485
 - process of, 487
 - to restore applications, 367
 - Virtual Machine Management Service and, 78–79
- VTPR, 296

W

- WAITING state, of virtual processors, 92
- WAN (wide area network), 606–607, 674
- WBAAdmin.exe utility, 366. *See also* Windows Server Backup
- Web Console, in SCOM 2007, 545
- Web hosting, operating system-level virtualization in, 15
- Web portal, self-service. *See* Self-Service Web Portal
- Web Server, 32
- WHERE clause, 574
- Windows Automated Installation Kit (WAIK), 107–109
- Windows Backup Server, 241
- Windows BitLocker Drive Encryption, 262
- Windows Deployment Services, 46, 301
- Windows Firewall Remote Administration Exception, 674
- Windows Firewall With Advanced Security MMC, 238
- Windows hypervisor. *See also* architecture; *also* Hyper-V

- Core Parking and, 342
- Integrated Services files compiled with, 230–233
- overview of, 70–71, 83
- Windows Image (WIM) format, 106–108
- Windows Installer 3.1, 528
- Windows Integrated Virtualization ROI tool (Alinean), 649, 701
- Windows Management Instrumentation (WMI)
 - API of, 44, 67
 - classes of, 566–576
 - categories of, 566–567
 - connecting to, 567–568
 - Hyper-V server queries in, 569–570
 - queries to multiple, 571–573
 - specific virtual machine queries in, 570–571
 - virtual machine settings for, 573–576
 - for discovery process automation, 667, 669, 674
 - Hyper-V dependency to, 237
 - Image Management Service (IMS) and, 237
 - in Hyper-V architecture, 83–85
 - Live Migration and, 339
 - Networking Management Service (NMS) and, 237
 - remote management and, 383
 - Virtual Machine Management Service (VMMS) and, 75–76, 84, 237
 - virtual network creation by, 46
- Windows Preinstallation Environment (WinPE) image, 121, 364, 517
- Windows Server 2008 R2, 28, 69, 331–354. *See also* Hyper-V; *also* System Center Operations Manager (SCOM) 2007
 - Core Parking in, 342–343
 - default Hyper-V folders in, 345–346
 - failover clustering in, 202–203
 - Hyper-V feature overview for, 337–338
 - Hyper-V for virtual desktops in, 629
 - Hyper-V R2 management and, 353
 - Hyper-V role installed on, 331–337
 - jumbo frames in, 343–344
 - Live Migration in, 338–341, 346–352
 - cluster networks configuration for, 352
 - cluster shared volume configuration for, 350–351
 - initiating, 352
 - two-node Hyper-V server cluster for, 347–349
 - virtual machine creation for, 351–352
 - MAC Address Range configuration in, 344–345
 - Remote Desktop Services role in, 631
 - Second Level Address Translation (SLAT) in, 341–342
 - storage addition and removal in, 343
 - TCP Offload support in, 343
 - Terminal Services RemoteApp in, 630, 632
 - Virtual Machine Queue (VMO) in, 343
- Windows Server Backup
 - configuring, 425–428
 - considerations in, 428
 - for disaster recovery, 366–368
 - for virtual machine backup, 433–437
 - for virtual machine restoring, 428–433
 - in virtualization scenarios, 602, 607
 - installing, 424–425
 - VSS writer and, 485
- Windows Server System Common Engineering Criteria, 690
- Windows SharePoint Services (WSS), 368
- Windows Software Assurance, 630
- Windows Software Update Service (WSUS), 423, 717
- Windows Updates, 144–146
- Windows Vista Enterprise Centralized Desktop, 630
- Windows Vista SP1, 28, 32
- Windows XP SP3, 28
- WINHV.sys kernel mode driver, 83
- wireless networks, 302–303, 312
- witness and data storage volumes, 207–214
- Witness disks, 347
- WMI Service (SVCHost.exe), 83
- work groups, Microsoft Hyper-V configuration tool for, 140–141
- worker processes, 264
 - in Hyper-V architecture, 85–87
 - Virtual Machine Management Service (VMMS) for, 76
- Virtualization Stack Memory Manager (VSMM) and, 83
- Worker Process Manager (WPM) for, 76, 170
- workloads
 - capacity planning for, 438
 - central management of, 265–266
 - coexistence of, 292–293
 - consolidation ratios for, 20
 - guest operating system installation and, 418
 - host cluster and, 600
 - optimizing, 704, 709–715
 - PlateSpin PowerRecon feature for, 677–678
 - Processor Resource Control and, 295
 - processor support of, 404
 - rebalancing, 21
 - virtual desktops and, 618, 620
 - virtual hardware devices and, 402
 - world switch, in Secure Virtual Machine (SVM), 5

X

- x86 server-based virtualization, 4–10
 - AMD-V architecture and, 5
 - AMD-V I-O virtualization technology for, 8
 - AMD-V rapid virtualization indexing for, 6
 - Intel VT architecture and, 9
 - Xen hypervisor-aware kernel, 29
 - XenDesktop Desktop Delivery Controller (DDC), 630–632
 - XenSource, 13
 - XML files, configuration settings in, 79